


In the Claims

Please amend claim 1 as follows:

- B
1. (amended) A carrier composition comprising
- a) at least 30 wt% of a synthetic cracking component, based on the total weight of the carrier composition, which comprises oxidic compounds of one or more trivalent metallic elements, tetravalent metallic elements, and divalent metallic elements, said cracking component comprising elemental clay platelets with an average diameter of 1 μm or less and an average degree of stacking of 20 platelets per stack or less, and/or comprising a cogel with a saponite content C_A of less than 60 %, and in which the total of sodium and potassium (calculated as metal) amounts to less than 1 wt%, based on the total weight of the cogel, and
 - b) 1-25 wt% of zeolite Y, based on the total weight of the carrier composition, with a unit cell size below 24.35 Å.

Attached is "Appendix A, Marked-Up Version of Amended Claim 1".

Respectfully submitted,



Louis A. Morris
Attorney for Applicant(s)
Registration No. 28,100

Akzo Nobel Inc.
Intellectual Property Dept.
7 Livingstone Avenue
Dobbs, Ferry, New York 10566
312-906-7769